

	観測孔 設置直後 (雨)	観測孔																																					
		密閉前 (晴)	密閉後 (晴)	密閉前 (雨)	密閉後 (晴)	密閉前 (曇)	密閉後 (雨)	密閉前 (曇)	密閉後 (曇)	密閉前 (晴)	密閉後 (晴)	密閉前 (曇)	密閉後 (曇)	密閉前 (晴)	密閉後 (晴)	密閉前 (曇)	密閉後 (曇)	密閉前 (曇)	密閉後 (曇)	密閉前 (晴)	密閉後 (晴)	密閉前 (曇)	密閉後 (曇)	密閉前 (曇)	密閉後 (曇)	密閉前 (晴)	密閉後 (晴)	密閉前 (曇)	密閉後 (曇)										
観測孔A	計測日	H23.4.18	4/25	4/26	5/12	5/13	5/26	5/27	6/9	6/10	6/23	6/24	7/13	7/14	H24.7.18	7/19	10/11	10/12	H25.2.14	2/15	3/4	3/5	7/31	8/1	10/31	11/1	H26.2.13	2/14	7/17	7/18	10/14	10/15	H27.2.19	2/20	9/30	10/1	11/17		
	計測時刻		9:40	10:00	9:10	9:05	9:35	9:30	8:50	8:45	9:50	8:45	8:35	10:05	10:00	9:50	9:40	10:15	10:15	10:00	8:50	9:20	13:20	14:35	9:50	9:30	10:45	10:05	9:35	9:36	13:44	14:08	9:40	9:45	10:55	10:15	10:13		
	メタン	Vol%	52	65	67	69	58	37	81	2.5	81	51	67	72	70	3.4	12	47	81	0	0	82	85	75	69	36	82	67	79	67	81	67	82	67	72	69	75	63	
	酸素	%	8.1	3.6	4.1	2.2	4.3	9.1	0	20.6	1.4	9	5.3	2	2.3	20.5	15.1	8.7	0.7	20.5	15.5	2.2	1.6	7.7	0.2	11.6	0	4.5	2.3	3.3	0	2.7	0	2.5	0.3	1.4	0	2.8	
	一酸化炭素	ppm	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	硫化水素	ppm	43.5	55.5	65.5	80.5	63.5	22.5	>100	0	>100	>100	>100	>100	>100	0	>100	69.5	0.5	0	0	>100	>100	>100	>100	36.5	>100	>100	>100	61.5	>100	97	92	39.5	45.5	21.5	27	6.5	
流量	l/h																																		44.146	44.5	43.0		
観測孔B	計測日	H23.4.18	4/25	4/26	5/12	5/13	5/26	5/27	6/9	6/10	6/23	6/24	7/13	7/14	7/18	7/19	10/11	10/12	2/14	2/15	3/4	3/5	7/31	8/1	10/31	11/1	2/13	2/14	7/17	7/18	10/14	10/15	2/19	2/20	9/30	10/1	11/17		
	計測時刻		洗浄後	9:50	11:05	9:30	8:40	9:10	9:00	8:30	9:30	8:30	8:25	11:40	10:25	10:15	9:25	9:35	9:35	10:10	9:55	13:50	14:15	9:25	9:20	10:20	9:35	9:20	9:42	13:25	13:48	9:20	9:30	10:00	9:40	9:30			
	メタン	Vol%	0.9	0	8	0.9	0.6	0.2	7	0	4.3	0.6	3.9	1.0	0.9	0	0.1	0	0	0	0	0	0	0	0	0	0	0.2	0	0	0	3	0	0.5	0	0.1	0		
	酸素	%	20.9	20.9	16.6	20.6	20.7	20.9	17.8	20.9	19.2	20.6	19.2	20.9	20.5	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.5	20.0	20.9	20.9	20.9	20.9	20.9	20.7	20.5	20.9	19.3	20.9	20.9	20.5	14.9	0	
	一酸化炭素	ppm	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	
	硫化水素	ppm	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
流量	l/h																																		0.09	0.18	0.14		
観測孔C	計測日	H23.4.18	4/25	4/26	5/12	5/13	5/26	5/27	6/9	6/10	6/23	6/24	7/13	7/14	7/18	7/19	10/11	10/12	2/14	2/15	3/4	3/5	7/31	8/1	10/31	11/1	2/13	2/14	7/17	7/18	10/14	10/15	2/19	2/20	9/30	10/1	11/17		
	計測時刻		9:45	10:05	9:40	9:20	9:25	9:20	8:45	8:40	9:45	8:50	8:40	9:50	10:05	10:00	9:45	10:00	10:05	10:10	10:00	9:30	13:30	14:40	9:55	9:00	10:35	9:55	9:28	9:24	13:40	14:00	9:34	9:35	10:25	10:00	10:03		
	メタン	Vol%	1.05	0.5	3.1	0.4	0	1.1	0	0.8	0.5	0.8	0.1	0.3	0	0.2	0	0	0	0.1	0	0.7	0	1.6	0	0.65	0	0.6	0.1	0.4	0	0.7	0	0.1	0	0.2	3.6		
	酸素	%	19.7	20.9	18.8	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.6	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.6	19.4	20.9	20.9	20.9	20.6	18.2	16	20.9	17	20.9	20.4	20.7	17.5	19.8		
	一酸化炭素	ppm	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	硫化水素	ppm	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
流量	l/h																																		0.18	0.7	1.6		
観測孔D	計測日	H23.4.18	4/25	4/26	5/12	5/13	5/26	5/27	6/9	6/10	6/23	6/24	7/13	7/14	7/18	7/19	10/11	10/12	2/14	2/15	3/4	3/5	7/31	8/1	10/31	11/1	2/13	2/14	7/17	7/18	10/14	10/15	2/19	2/20	9/30	10/1	11/17		
	計測時刻		10:00	11:10	9:45	9:25	9:20	9:25	8:40	8:35	9:40	8:40	8:40	9:20	10:10	10:05	9:30	9:55	10:10	10:15	10:05	9:35	13:40	14:45	9:40	9:05	10:30	9:50	9:25	9:20	13:27	13:55	9:30	9:32	10:12	9:50	9:50		
	メタン	Vol%	0	2.3	13	2.5	1.2	1.4	2.2	1.4	22	2.5	24	1.6	1.05	0	16	0	28	1.45	30	0.35	28	0.6	17	0.85	15	1.3	23	1.8	20	0.95	22	0.55	19	0	13	1.3	
	酸素	%	20.9	20.9	16.9	20.8	15	20.9	9.6	20.9	15.2	20.3	14.3	20.9	20.9	16.7	20.9	13.2	20.9	13.6	20.9	13.6	20.9	1.4	20.3	16.2	20.9	17.0	20.9	16.3	20.5	15.1	20.9	15.1	20.9	15.6	20.5	13.3	20.7
	一酸化炭素	ppm	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7	0	
	硫化水素	ppm	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	83	0	4.5	10.5	6	9	48.5	14.5	50.5	0	0	0	4	15	0	0	5	16	0
流量	l/h																																		0.41	0.5	1.5		
観測孔E	計測日	H23.4.18	4/25	4/26	5/12	5/13	5/26	5/27	6/9	6/10	6/23	6/24	7/13	7/14	7/18	7/19	10/11	10/12	2/14	2/15	3/4	3/5	7/31	8/1	10/31	11/1	2/13	2/14	7/17	7/18	10/14	10/15	2/19	2/20	9/30	10/1	11/17		
	計測時刻		9:55	11:20	9:50	9:30	9:15	9:15	8:35	8:30	9:35	8:35	8:45	9:00	10:20	10:10	9:15	9:50	9:30	9:30	10:20	9:50	13:50	14:00	9:35	9:10	10:25	9:45	9:15	9:15	13:23	13:50	9:28	9:25	9:45	9:27	9:38		
	メタン	Vol%	0.6	1.6	4.9	2.6	0.6	0.3	33	0.5	19	1.85	16	0.8	2.5	0	3.6	0	28	0	18	0.3	17	0.6	17	0.6	11	1.1	19	1.2	11	0.2	12	0.6	13	0	11	1.05	
	酸素	%	20.9	20.9	20.7	20.9	11.3	20.9	12.8	20.9	16.3	20.3	16.3	20.9	20.9	20.9	19.3	20.9	13.0	20.9	14.0	20.9	15.8	20.0	13.5	20.9	17.1	20.9	15.8	20.9	16.4	20.9	16.5	20.9	16.2	20.5	14	20.8	
	一酸化炭素	ppm	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	硫化水素	ppm	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
流量	l/h																																			0.09	1.2	0.6	
観測孔F	計測日	H23.4.18	4/25	4/26	5/12	5/13	5/26	5/27	6/9	6/10	6/23	6/24	7/13	7/14	7/18	7/19	10/11	10/12	2/14	2/15	3/4	3/5	7/31	8/1	10/31	11/1	2/13	2/14	7/17	7/18	10/14	10/15	2/19	2/20	9/30	10/1	11/17		
	計測時刻		9:25	11:15	9:05	8:35	9:05	9:35	8:25	8:20	9:25	8:25	8:20	8:40	10:30	10:20	9:10	9:45	9:40	9:45	10:25	10:05	13:55	14:05</															

		密閉後 曇一時雨		密閉前 (晴)		密閉後 (晴)		密閉前 (晴)		密閉後 (晴)		密閉前 (晴)		密閉後 (晴)		密閉前 (晴)		密閉後 (晴)		密閉前 (曇)		密閉後 (曇)		密閉前 (曇)		密閉後 (曇)		密閉前 (曇)		密閉後 (曇)		今年度実施 密閉前 (雨のち曇)		今年度実施 密閉後 (曇)		密閉前 (晴)		密閉後 (晴)				
		11/18	H28.2.4	2/5	8/25	8/26	11/17	11/18	H29.2.23	2/24	8/29	8/30	11/15	11/16	H30.2.26	2/27	8/28	8/29	11/21	11/22	H31.2.5	2/6	8/20	8/21	11/27	11/28	R2.2.18	2/19	8/19	8/20	11/18	11/19	R3.2.15	2/16	8/23	8/24	11/16	11/17				
観測孔 A	計測日																																									
	計測時刻																																									
	メタン	Vol%	73	0	0	0	38	74	1.2	0.1	5	81	0	0	57	81	57	82	51	82	19	81	0	0	1.95	29	0	0	0	0.4	0	0	0.2	0.4	0	0	0	0	0	0	0	0
	酸素	%	0	20.9	19.6	16.1	15.7	9.5	0.8	19.5	14.1	3.4	0	18.7	10.7	6.1	0	4.3	0	5.8	0	14.1	0.5	20.9	20.1	20	3.5	20.9	20.9	20.9	17.4	20.9	20.7	20.4	20.9	16.7	20.9	20.9	20.9	20.9	20.9	
	一酸化炭素	ppm	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	硫化水素	ppm	18.5	0	0	0	0	23	0	0	31.5	189	0	0	0	0.5	32	43.5	3.5	34.5	0	31.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
流量	l/h	61.8	0.5	0.2	1.2	1.8	13.7	19.5	0.2	0.8	34.8	35.8	0.1	3.2	28.7	40.4	16.4	12.1	33.2	34.1	9.9	25.9	0.5	4.6	0	2.1	2.9	0	0	0	0	2.4	1.8	0	1.1	0	1.2	0	1.2			
観測孔 B	計測日																																									
	計測時刻																																									
	メタン	Vol%	0	0	0	0	0.2	0	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	酸素	%	19.9	20.9	20.9	20.7	19.9	20.9	20.2	20.9	20.9	20.9	20.3	20.9	20.7	20.9	20.9	20.5	17.9	20.9	20.2	20.9	20.7	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9
	一酸化炭素	ppm	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	硫化水素	ppm	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
流量	l/h	0.63	0.23	0.09	0.14	0	0.05	0	0.82	0	0	0.16	0	0	0.09	0	0.14	0.05	0.20	0	0.36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
観測孔 C	計測日																																									
	計測時刻																																									
	メタン	Vol%	74	3.9	74	0	0	9	79	10	64	0	0	0	0	0.4	0	0	0	0.45	7	93	0	0	0	0.4	5	45	0	0	0	0	1.95	65	0.4	11	0	0	0	0		
	酸素	%	2.4	20.2	2.5	19.3	15.4	18.1	2.6	18.4	5	18.7	15.3	20.9	19	20.9	20.2	19.2	16.8	20.9	20	18.7	0.9	20.1	17.9	20.9	20.5	19.2	11.3	20.9	18.5	20.9	19.8	19.3	5.5	20.3	8.6	20.9	20.9	20.9		
	一酸化炭素	ppm	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	硫化水素	ppm	0	0	0	0	0	96	20.5	709	0	0	0	0	0	0	0	0	0	0	57	718	0	0	0	33.5	52.5	0	0	0	0.3	10.4	0	0	0	0	0	0	0	0	0	
流量	l/h	7.6	1.9	2.4	0.1	0.2	6.8	5.3	8.2	108.7	0.0	0.3	0	1.1	0.1	0.4	0	0	0.23	0.14	6.97	8.15	0	1	0.18	0.00	3.4	14.46	0	2.7	0	1.4	3.8	24.7	1.0	6.2	1.3	1.3	1.3			
観測孔 D	計測日																																									
	計測時刻																																									
	メタン	Vol%	17	0.2	12	1.7	17	1.1	15	1.45	11	1.3	6	0	2.8	1.5	17	1.4	4.05	0.55	4.45	0.75	13	0.2	2.1	0.2	1.15	0.4	0.35	0.4	4	0	2.4	0.8	10	0	0	0.8	9	15		
	酸素	%	14.6	20.5	16.8	20.9	15	20.9	15.7	20.8	17.5	15.9	2.5	20.9	16.6	20.9	15.6	20.4	10.1	20.9	12.7	20.9	15.5	20.9	11.9	20.9	17.2	20.9	16.6	20.0	9.9	20.9	17.3	20.9	17.6	20.7	19.3	20.9	19	15		
	一酸化炭素	ppm	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	硫化水素	ppm	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
流量	l/h	1.9	0.4	0.8	0.2	0.5	0.6	0	5.1	0.1	5.5	0	1.0	0.3	1.2	0.3	0.5	0.5	0.9	0.5	1.4	0.0	1.2	0.0	6.8	0.1	0.0	0	1.3	6.2	0	0.5	0	0	0.2	1.2	1.2					
観測孔 E	計測日																																									
	計測時刻																																									
	メタン	Vol%	17	0.1	10	1.9	16	1.1	17	1.7	15	0.8	5	0	4.3	1.5	14	1.0	13	0.55	16	0.8	12	0.3	8	0.3	0.75	0.6	7	1.1	11	0.9	86	1.0	10	0.0	0	20	15			
	酸素	%	13.8	20.9	16.7	20.1	8	20.9	12.9	20.6	15.1	19.6	3.7	20.9	17.9	20.9	15.6	20.9	8.2	20.9	15.5	20.9	16.8	20.9	17	20.9	20.9	18.1	20.9	16.4	20.9	14	20.9	17.6	20.9	19.4	20.9	16.7	16.7			
	一酸化炭素	ppm	0	0	0	0	0	11	0	0	0	27	0	0	13	58	0	0	0	0	0	0	0	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	硫化水素	ppm	0	0	0	0	0	0	16.5	20	0	0	0	0	0	0	12.5	27.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
流量	l/h	18.3	0.4	2.7	0	3.3	0	0.6	0.4	1.4	0	0.4	0	2.5	0.2	2.4	0.4	2.9	0.5	1.2	0.1	8.2	0.1	4.3	0.1	10.9	0.2	3.2	0	0.3	4.4	1.7	0.4	0.5	0	0	0.5	0.7				
観測孔 F	計測日																																									
	計測時刻																																									
	メタン	Vol%	5	1.2	5	1.5	6	1.8	8	1.2	6	0.8	1.4	0.3	4.3	0.5	3.2	0.1	0.7	0.3	8	0.3	1.6	0.5	0.0	0.5	0.9	0.05	0	0.0	0.5	0	3.0	0.5	1.4	0.0	0.0	1.0				
	酸素	%	15.5	20.5	15.8	20.2	14.5	19.7	12.8	20	16.8	18	4.4	20.9	14.7	20.9	16.6	15.4	8.3	20.9</																						